

Author Index for 1998

	Issue	Page
1. Adeniran, Victor B. — <i>Stratigraphic distribution of Globigerinoides ruber in the upper Middle Miocene to Early Pliocene of western Niger Delta, Nigeria</i>	2	173
Anderson, O. Roger — see: Sugiyama, Kazuhiro and Anderson, O. Roger		
Basov, Valery A. — see: Nagy, Jenő and Basov, Valery A.		
2. Berggren, William A. — <i>Review of Contributions to the Micropaleontology and Paleooceanography of the Northern North Atlantic (Collected Results from the GEOMAR Bungalow Working Group) edited by H. Christian Hass and Michael A. Kaminski</i>	2	211
3. Berggren, William A. — <i>Review of Foraminifera in Indonesian Stratigraphy by Harsono Pringgoprawiro, Darwin Kadar and Stanislaw K. Skwarko</i>	2	213
4. Berggren, William A. — <i>Review of Lower Cretaceous Deep-Water Benthic Foraminifera of the Indian Ocean, by Anne E. L. Holbourn and Michael A. Kaminski</i>	2	209
5. Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario — <i>Paleobiological evidence of depositional conditions in the Salt Member, Gessoso-Solfifera Formation (Messinian, Upper Miocene) of Sicily</i>	4	413
Bjørklund, K. R. — see: Cortese, G. and Bjørklund, K. R.		
6. Boltovskoy, Demetrio — <i>Memorial to Esteban Boltovskoy, January 26, 1912-September 4, 1997</i>	2	215
7. Boukhary, M., Kulbrok, F., and Kuss, J. — <i>New nummulitids from lower Eocene limestones of Egypt (Monastery of St. Paul, Eastern Desert)</i>	1	99
Caulet, Jean Pierre — see: Sanfilippo, Annika and Caulet, Jean Pierre		
8. Cearreta, Alejandro — <i>Holocene sea-level change in the Bilbao estuary (north Spain): foraminiferal evidence</i>	3	265
9. Chungkham, Prithiraj and Jafar, Syed A. — <i>Late Cretaceous (Santonian-Maastrichtian) integrated Coccolith-Globotruncanid biostratigraphy of pelagic limestones from the accretionary prism of Manipur, northeastern India</i>	1	69
Clauzon, Georges — see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario		
10. Cortese, G. and Bjørklund, K. R. — <i>Morphometry and taxonomy of Hexacanthium species from western Norwegian fjords</i>	2	161
11. Cortese, G. and Bjørklund, K. R. — <i>The taxonomy of boreal Atlantic Ocean Actinommida (Radiolaria)</i>	2	149
Çoruh, Tanyol — see: Meriç, Engin and Çoruh, Tanyol		
12. Courtinat, Bernard — <i>New genera and new species of scolecodonts (fossil annelids) with paleoenvironmental and evolutionary considerations</i>	4	435
Dalby, Andrew P. — see: Reinhardt, Eduard G., Dalby, Andrew P., Kumar, Arun and Patterson, R. Timothy		
Di Stefano, Agata — see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario		
13. Editors, The — <i>14th African Colloquium on Micropaleontology</i>	4	434
14. Editors, The — <i>Books from the Grzybowski Foundation</i>	3	290
15. Editors, The — <i>Compustrat 6.0</i>	4	340
16. Editors, The — <i>Micro Press Web Page</i>	4	434
17. Evans, John R. and Kaminski, Michael A. — <i>Pliocene and Pleistocene chronostratigraphy and paleoenvironment of the central Arctic Ocean, using deep water agglutinated foraminifera</i>	2	109
18. Frederiksen, Norman O. — <i>Upper Paleocene and lowermost Eocene angiosperm pollen biostratigraphy of the eastern Gulf Coast and Virginia</i>	1	45
Gautier, François — see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario		

19. Gersonde, R. and Bárcena, M. A. — <i>Revision of the upper Pliocene - Pleistocene diatom biostratigraphy for the northern belt of the Southern Ocean</i>	1	84
20. Gliozzi, Elsa and Mazzini, Ilaria — <i>Mixtacandona talianae n. sp. (Crustacea, Ostracoda) from the Holocene of Grotta del Lago (Umbria, central Italy)</i>	4	441
21. Gradstein, Felix — <i>Review of The Early Evolutionary History of Planktonic Foraminifera, by M. K. Boudagher-Fadel, E. T. Banner and J. E. Whittaker</i>	2	207
Grasso, Mario — <i>see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario</i>		
Inan, Nurdan — <i>see: Meriç, Engin and Inan, Nurdan</i>		
Jafar, Syed A. — <i>see: Chungkham, Prithiraj and Jafar, Syed A.</i>		
22. Kaiho, Kunio — <i>Phylogeny of deep-sea calcareous trochospiral benthic foraminifera: evolution and diversification</i>	3	291
Kaminski, Michael A. — <i>see: Evans, John R. and Kaminski, Michael A.</i>		
23. Kontrovitz, Mervin and Puckett, T. Markham — <i>Ocular shell structures in some Cretaceous trachyleberid Ostracoda</i>	2	201
Kumar, Arun — <i>see: Reinhardt, Eduard G., Dalby, Andrew P., Kumar, Arun and Patterson, R. Timothy</i>		
Kuss, J. — <i>see: Boukhary, M., Kulbrok, F., and Kuss, J.</i>		
Londeix, Laurent — <i>see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario</i>		
Kulbrok, F. — <i>see: Boukhary, M., Kulbrok, F., and Kuss, J.</i>		
Maniscalco, Rosanna — <i>see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario</i>		
Mazzini, Ilaria — <i>see: Gliozzi, Elsa and Mazzini, Ilaria</i>		
24. Meriç, Engin and Çoruh, Tanyol — <i>Neosivasella sungurlui, a new genus and species from the Upper Paleocene of southeast Turkey</i>	2	187
25. Meriç, Engin and Inan, Nurdan — <i>Sirelina orduensis (foraminifera) a new genus and species from the Maastrichtian of Northeast Anatolia (Gölköy-Ordu)</i>	2	195
26. Nagy, Jenő and Basov, Valery A. — <i>Revised foraminiferal taxa and biostratigraphy of Bathonian to Ryazanian deposits in Spitsbergen</i>	3	217
27. Nederbragt, Alexandra J. — <i>Quantitative biogeography of late Maastrichtian planktic foraminifera</i>	4	385
Patterson, R. Timothy — <i>see: Reinhardt, Eduard G., Dalby, Andrew P., Kumar, Arun and Patterson, R. Timothy</i>		
Puckett, T. Markham — <i>see: Kontrovitz, Mervin and Puckett, T. Markham</i>		
28. Reinhardt, Eduard G., Dalby, Andrew P., Kumar, Arun and Patterson, R. Timothy — <i>Arcellaceans as pollution indicators in mine tailing contaminated lakes near Cobalt, Ontario, Canada</i>	2	131
29. Robertson, Bruce E. — <i>Systematics and paleoecology of the benthic Foraminiferida from the Buff Bay section, Miocene of Jamaica</i>	S2	1
30. Sanfilippo, Annika and Caulet, Jean Pierre — <i>Taxonomy and evolution of paleogene antarctic and tropical lophocyrtid radiolarians</i>	1	1
31. Schiøler, Poul and Wilson, Graeme J. — <i>Dinoflagellate biostratigraphy of the middle Coniacian - lower Campanian (Upper Cretaceous) in south Marlborough, New Zealand</i>	4	313
32. Siesser, William G. — <i>Calcareous nannofossil Genus Scyphosphaera: structure, taxonomy, biostratigraphy, and phylogeny</i>	4	351
33. Smart, C. W. — <i>Diversity patterns of Miocene benthic foraminifera in the Somali Basin, northwestern Indian Ocean</i>	3	256
Suc, Jean-Pierre — <i>see: Bertini, Adele, Londeix, Laurent, Maniscalco, Rosanna, Di Stefano, Agata, Suc, Jean-Pierre, Clauzon, Georges, Gautier, François and Grasso, Mario</i>		
34. Sugiyama, Kazuhiro and Anderson, O. Roger — <i>Cytoplasmic organization and symbiotic associations of Didymocystis tetrathalamus (Haeckel) (Spumellaria, Radiolaria)</i>	3	277
Wilson, Graeme J. — <i>see: Schiøler, Poul and Wilson, Graeme J.</i>		
35. Zippi, Pierre A. — <i>Freshwater algae from the Mattagami Formation (Albian), Ontario: Paleocology, botanical affinities, and systematic taxonomy</i>	S1	1

Subject Index for 1998

NOTE: Names of new taxa are set in **bold-face** type. Numbers refer to papers listed in the author index.

- Albian, Mattagami Formation
Canada, Ontario
algae, freshwater, 35
- algae, freshwater
Albian, Mattagami Formation
Canada, Ontario, 35
Lecaniella irregularis, 35
Nyktericysta lacustra, 35
Oedogonium cretaceum, 35
- Antarctic
Paleogene
Radiolaria, 30
- arcellaceans
pollution indicators
Canada, Ontario, 28
- Arctic Ocean
Pleistocene-Pleistocene
foraminifera, 17
- Atlantic Ocean
Radiolaria (Actinommida)
taxonomy, 11
- biogeography, quantitative
Maastrichtian
foraminifera, 27
- biostratigraphy
Cretaceous, late
India, northeast, 9
New Zealand, 31
Pliocene-Pleistocene
Southern Ocean, 19
Eocene, lowermost
Gulf Coast, 18
Virginia, 18
- Boltovskoy, Esteban, 6
- Canada, Ontario
Albian, Mattagami Formation
algae, freshwater, 35
pollution indicators
arcellaceans, 28
- Cenozoic
foraminifera
phylogeny, 22
- Cretaceous
biostratigraphy
India, northeast, 9
foraminifera
phylogeny, 22
New Zealand, Marlborough
dinoflagellates, 31
Ostracoda, trachyleberid
shell structure, 23
Spitsbergen
biostratigraphy, 26
- diatoms
Fragilariopsis matuyamae var.
heteropola, 19
Fragilariopsis matuyamae, 19
- diatoms, biostratigraphy
Pliocene-Pleistocene
Southern Ocean, 19
- Didymocystis tetrathalamus* (Spumellaria,
Radiolaria), 34
- dinoflagellates
Batiacaspheera kekerengensis, 31
Batiacaspheera rugulata, 31
Cretaceous, Upper
New Zealand, Marlborough, 31
Cymosphaeridium benmorense, 31
Eucladinium kaikourense, 31
Glaphyrocysta marlboroughensis, 31
Kleithrisphaeridium secatum, 31
- Egypt
Eocene, lower
foraminifera, 7
- Eocene, lower
Egypt
foraminifera, 7
Gulf Coast
pollen biostratigraphy, 18
Virginia
pollen biostratigraphy, 18
- foraminifera
Gavelinella planoconvexa, 22
Agardhella, 26
Agardhella placula, 26
Ammobaculites areniferus, 26
Bassiounina sanctipauli, 7
biogeography
Maastrichtian, 27
biostratigraphy
India, northeast, 9
Calyptamina, 26
Cibicidoides primitivus, 22
Conorbinoides, 22
Cretaceous
phylogeny, 22
Cribristomoides subretusus, 26
Cribristomoides vallatus, 26
Evolutinella vallata, 26
Gaudryina rostellata, 26
Gavelinella dysoxia, 22
Hanzawaia compressa, 22
Holocene
Spain, Bilbao estuary, 8
Lingulogavelinelloides, 22
Lingulogavelinelloides compressus, 22
Miocene
Indian Ocean, northwest, 33
Jamaica, 29
Neoserovalina, 22
Neoserovalina lobulata, 22
Neosivasella, 24
Neosivasella sungurlui, 24
Notoplanulina primitiva, 22
Nummulites praetacicus, 7
Nummulites sahariensis, 7
Nuttallides intermedius, 22
Nuttallides primitivus, 22
Nuttallinella primitiva, 22
Oridorsalis primitivus, 22
- Osangularia primitiva*, 22
Paleocene, Upper
Turkey, southeast, 24
Pleistocene
Arctic Ocean, 17
Pliocene
Arctic Ocean, 17
Nigeria, Niger Delta, 1
Protosangularia, 22
Protosangularia albiana, 22
Protosangularia cenomaniana, 22
Saccamina compacta, 26
Scherochorella densiformis, 26
Serovaina lobulata, 22
Sirelina, 25
Sirelina orduensis, 25
Sliterella, 22
Sliterella lobulata, 22
Stensioeina primitiva, 22
Thuraminoides lapilliformis, 26
Trochammina lomonosovensis, 17
Trochammina praerosacea, 26
- Globigerinoides ruber*, 1
- Grzybowski Foundation Publications, 14
- Gulf Coast
Eocene, lowermost
pollen biostratigraphy, 18
Paleocene, upper
pollen biostratigraphy, 18
- Holocene
Ostracoda
Italy, Umbria, 20
sea-level change
Spain, Bilbao estuary, 8
- India, northeast
biostratigraphy, diatoms
Cretaceous, late, 9
- Indian Ocean, northwest
Miocene
foraminifera, diversity patterns, 33
- Italy, Umbria
Holocene
Ostracoda, 20
- Jamaica, Buff Bay section
Miocene
foraminifera, 29
- Jurassic
Spitsbergen
biostratigraphy, 26
- Maastrichtian
biogeography
foraminifera, 27
Turkey, northeast
foraminifera, 25
- Miocene
Indian Ocean, northwest
foraminifera, diversity patterns, 33

- Jamaica, Buff Bay section
foraminifera, 29
- Nigeria, Niger Delta
Globigerinoides ruber, 1
- Sicily
depositional conditions, 5
- nannofossils
Scyphosphaera
structure, taxonomy, biostratigraphy,
phylogeny, 32
Scyphosphaera excelsa, 32
Scyphosphaera recurvata var.
projectura, 32
- New Zealand, Marlborough
Cretaceous, Upper
dinoflagellates, 31
- Nigeria, Niger Delta
Miocene, Middle
Globigerinoides ruber, 1
Pliocene, Early
Globigerinoides ruber, 1
- Norway
Radiolaria, 10
- Ostracoda
Italy, Umbria
Holocene, 20
Mixtacandona talianae, 20
Cretaceous, 23
- paleobiology
Miocene, Upper
deposition evidence, 5
scolecodonts, 12
- Paleocene, upper
Gulf Coast
pollen biostratigraphy, 18
Turkey, southeast
foraminifera, 24
Virginia
pollen biostratigraphy, 18
- Paleogene
Radiolaria
Antarctic, 30
- Pleistocene
Arctic Ocean
foraminifera, 17
- Pliocene
Arctic Ocean
foraminifera, 17
Nigeria, Niger Delta
Globigerinoides ruber, 1
Southern Ocean
biostratigraphy, diatoms, 19
- Pollen, angiosperm
Momipites nicholsii, 18
- pollution indicators
arcellaceans
Canada, Ontario, 28
- Radiolaria (Actinommida)
Atlantic Ocean
taxonomy, 11
- Radiolaria
Actinomma leptoderma longispina, 11
Antarctic
Paleogene, 30
Aphetocyrtis catalexis, 30
Aphetocyrtis gnomabax, 30
Aphetocyrtis rossi, 30
Clinorhabdus anantomus, 30
Clinorhabdus oxymora, 30
Didymocyrtis tetralthalamus
Cytoplasmic organization and symbi-
otic associations, 34
Hexacontium giganteum, 10
Lophocyrtis (Apoplanius) *keraspera*, 30
Lophocyrtis (Apoplanius) *klydus*, 30
Lophocyrtis (Apoplanius) *nomax*, 30
Lophocyrtis (Lophocyrtis) *jacchia*
hapsis, 30
Lophocyrtis (Lophocyrtis?) *zeira*, 30
- Norway, 10
Paleogene
Antarctic, 30
- Reviews, 21, 4, 2, 3
- scolecodonts
Dualigenys, 12
Dualigenys erecta, 12
Nothrites vergonsensis, 12
Ottowina elegans, 12
Pterogenys, 12
Pterogenys dubius, 12
Sinugenys, 12
Sinugenys robusta, 12
- Sicily
Miocene, Upper
depositional conditions, 5
- Spain, Bilbao estuary
sea-level change
Holocene, 8
- Spitsbergen
Bathonian to Ryazanian
biostratigraphy, 26
- Turkey, northeast
Maastrichtian
foraminifera, 25
- Turkey, southeast
Paleocene, Upper
foraminifera, 24
- Virginia
Eocene, lowermost
pollen biostratigraphy, 18
Paleocene, upper
pollen biostratigraphy, 18
- zonation
diatoms
Southern Ocean, 19

